













PRICELIST
valid from 2023 / April 18th

Line	Product	EAN Barcode	Description	RRP EUR	
REFERENCE ULTRA		GZ ULTRA A-2	4037072024968	Ultra-high-end 2-channel amplifier Full-symmetrical dual-mono design 2 x 200 WRMS @ 4 ohm 2 x 330 WRMS @ 2 ohm 2 x 450 WRMS @ 1 ohm	€ 5995,00
		GZ ULTRA T-30	4037072025279	Ultra-high-end 30mm soft dome tweeter Tightly-tolerated technical parameters 100 W RMS / 150 W max	€ 1995,00
		GZ ULTRA M-80	4037072025262	Ultra-high-end 80mm midrange speaker Tightly-tolerated technical parameters Airflow-optimized aluminum basket Power handling TBA	tba
		GZ ULTRA K-165	4037072025255	Ultra-high-end 165mm midwoofer Tightly-tolerated technical parameters Lightweight carbon-fleece sandwich cone Airflow-optimized aluminum basket 100 W RMS / 160 W max	€ 1995,00
		GZ ULTRA 165-GRILL	4037072025231	165 mm hexagon stlye NRG speaker grill Fits to GZ ULTRA / GZPK / GZNK / GZUK / GZHK 1 pair	€ 249,00








GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
REFERENCE		GZPA Reference 2PURE	4037072014624	2 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm	€ 3499,00
		GZPA Reference 4PURE-SQ	4037072021394	4 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm	€ 4199,00
		GZPT Reference 28GOLD	4037072007695	GZPT 28 Reference Limited 24 K plated Gold Edition Handmade in Germany by Michael Feld	€ 1499,00
		GZPT Reference 28EVO	4037072018554	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 600 Hz, Coupled chamber High gloss chromed CNC machined aluminum housing 2-Layer hand-coated silkdome, solid metal dispersion Linearised dual-neodymium motor Delivered in Made in Germany wooden-box	€ 1299,00
		GZPW Reference 250	4037072013405	25 cm / 10" High End SQ subwoofer Handmade in Germany 2 x 2 ohm, 500 WRMS, 50 mm / 2" copper voice coil High tech 3-layer sandwich cone, light-weight rubber surround, Double-layer BIMAX / Connex spider, Linearised high efficient motor with double ferrit magnet Delivered in Made in Germany wooden-box	€ 1499,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
PLUTONIUM	 GZPA 2SQ	4037072019353	2 channel High End SQ Class AB amplifier 2 x 150 WRMS @ 4 ohm 2 x 280 WRMS @ 2 ohm 2 x 450 WRMS @ 1 ohm	€ 1299,00
	 GZPA 4SQ	4037072019360	4 channel High End SQ Class AB amplifier 4 x 110 WRMS @ 4 ohm 4 x 200 WRMS @ 2 ohm 4 x 300 WRMS @ 1 ohm	€ 1449,00
	 GZPT 28SQ	4037072021592	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 770 Hz, Coupled chamber CNC machined stainless steel housing 2-Layer coated silkdome	€ 599,00
	 GZPF 40SQX	4037072023107	40 mm / 1.6" full range speaker Handmade in Germany Aluminum cone Stainless steel housing with coupled chamber 4 ohm / Fs 440 Hz / Re 3.1 ohm / SPL 84 dB Power handling 50/80 Watts RMS/max.	€ 499,00
	 GZPM 80SQ-C	4037072025439	High-end 80 mm / 3.15" midrange speaker 70 WRMS / 110 W max High-tech ceramic-coated aluminum cone Resonance free aluminum cast basket	€ 299,00
	 GZPK 165SQ-C	4037072024555	High-end 165 mm / 6.5" midwoofer 140 WRMS / 200 W max High-tech ceramic-coated aluminum cone Resonance free aluminum cast basket	€ 599,00
	 GZPW 10SQ	4037072020069	25 cm / 10" High End SQ Subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Anodized aluminum cone, protection grill Fs 34 Hz, Qts 0.58, SPL 84 dB	€ 539,00
	 GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 10SQ and GZLUW 10SQX subwoofer	€ 54,00
	 GZPW 15XXmax	4037072022032	38 cm / 15" Subwoofer, 6000 WRMS 2 x 1 ohm, 100 mm / 4" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 31.6 Hz / Qts 0.40 / SPL 85 dB	€ 1399,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
NUCLEAR	 GZNT 28SQ	4037072023848	28 mm / 1.1" SQ silk dome tweeter with precision coating 4 ohm, 90 / 140 W, Fs 990 Hz, coupled chamber Black anodized CNC machined aluminum housing and CNC machined fastening rim Gold plated multi-way terminal GZ design grill	€ 249,00
	 GZNM 80SQ-K	4037072025293	High-tech 80 mm / 3.15" midrange speaker 70 W RMS / 110 W max High-tech Kevlar® cones Resonance free aluminum cast basket	€ 269,00
	 GZNK 165SQ-K	4037072024579	High-tech 165 mm / 6.5" midwoofer 130 W RMS / 190 W max High-tech Kevlar® cones Resonance free aluminum cast basket	€ 399,00
	 GZNW 30SPL-D1	4037072022162	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone Fs 38.6 Hz / Qts 0.38	€ 699,00
	 GZNW 30SPL-D2	4037072022179	30 cm / 12" Subwoofer, 3000 WRMS 2 x 2 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone (check the manual for more information)	€ 699,00
	 GZNW 38SPL-D1	4037072022186	38 cm / 15" Subwoofer, 3500 WRMS 2 x 1 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone Fs 36.0 Hz / Qts 0.52	€ 849,00
	 GZNW 38SPL-D2	4037072022193	38 cm / 15" Subwoofer, 3500 WRMS 2 x 2 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone (check the manual for more information)	€ 849,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
NUCLEAR	 GZNW 38NEO-SPL	4037072018530	38 cm / 15" Competition Subwoofer, 10000 W SPL Power 2x 1 ohm, 75 mm / 3" 8-layer aluminum voice coil Multi-neodymium magnet Fs 31.6 Hz / Qts 0.18	€ 1999,00
	 GZNW 15NEO-EXTREME	4037072025477	38 cm / 15" high power SPL subwoofer, 6000W SPL Power 2x 1 ohm, 75 mm / 3" 8-layer aluminum voice coil / coated carbon-fiber cone Multi-neodymium magnet (check the manual for more information)	tba
	 GZNW 12X-D2	4037072025521	High performance long excursion subwoofer 2000 W RMS / 2x 2 Ω High performance long excursion subwoofer Aluminum cone / High-roll surround Solid blue aluminum cast basket (check the manual for more information)	tba
	 GZNW 12SPL-Xflex	4037072018509	30 cm / 12" Subwoofer, 4500 W SPL Power 2 x 1 ohm, 75 mm / 3" CCA voice coil, Reinforced paper cone, Xflex surround Fs 33.9 Hz, Qts 0.361, SPL 87 dB	€ 599,00
	 GZNW 12Xmax	4037072017410	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 35.6.1 Hz, Qts 0.61, SPL 83 dB	€ 879,00
	 GZNW 15Xmax	4037072017427	38 cm / 15" Subwoofer, 4000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 29.5 Hz, Qts 0.33, SPL 87 dB	€ 1099,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
URANIUM	 GZUA 2SQ	4037072024593	Class A/B 2-channel SQ amplifier 2x 170 / 300 / 450 W @ 4 / 2 / 1 Ω 1x 1080 W max @ 2 Ω in bridged mode Wired remote control included	€ 599,00
	 GZUA 4SQ	4037072024609	Class A/B 4-channel SQ amplifier 4x 115 / 185 W @ 4 / 2 Ω 2x 440 W max @ 4 Ω in bridged mode	€ 599,00
	 GZUA 6SQ	4037072024616	Class A/B 6-channel SQ amplifier 4x 110 / 160 W + 2x 150 / 270 @ 4 / 2 Ω 2x 380 + 650 W max @ 4 Ω in bridged mode	€ 999,00
	 GZUC 165.3SQ	4037072023220	16,5 cm / 6.5" SQ 3 way compo system 4 ohm, 160 / 250 W, 40 Hz - 25 KHz Kickwoofer: Black anodyzed aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Midrange: 55 mm / 2.17" silk dome (GZUM 55SQ) Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ) SQ passive crossovers	€ 749,00
	 GZUC 165.3SQ-ACT	4037072023244	16,5 cm / 6.5" SQ 3 way compo system for active use Kickwoofer: Black anodyzed aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Midrange: 55 mm / 2.17" silk dome (GZUM 55SQ) Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ)	€ 699,00
	 GZUC 165.2SQ	4037072022773	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 140 / 230 W, 40 Hz - 25 KHz Kickwoofer: Black anodyzed aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ) SQ passive crossovers	€ 499,00
	 GZUC 165.2SQ-ACT	4037072022780	16,5 cm / 6.5" SQ 2 way compo system for active use Kickwoofer: Black anodyzed aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ)	€ 429,00







GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
URANIUM	 GZUT 28SQX	4037072024142	SQ 28 mm / 1.1" silk dome tweeter 80 W RMS / 130 W max Freq. response 2500 – 25000 Hz	€ 129,00
	 GZUM 55SQ	4037072023268	55 mm / 2.17" silk dome midrange 4 ohm, 90 / 150 W, 500 Hz - 7 KHz	€ 299,00
	 GZUF 60SQ-A	4037072023473	60 mm / 2.36" SQ mid- / fullrange 4 ohm, 50 / 80W, 300 - 20 KHz Black anodized aluminum cone Neodymium magnet, copper cap Resonance free fiber composite basket 2 pairs hexagon style protection grills included	€ 179,00
	 GZUM 80SQ	4037072022810	80 mm / 3.15" SQ midrange speaker 4 ohm, 50 / 80 W, 200 Hz - 6 KHz Mounting depth 35 mm / 1.38" Black anodized aluminum cone, rubber surround	€ 199,00
	 GZUK 165SQ	4037072022759	16,5 cm / 6.5" SQ midwoofer 4 ohm, 120 / 180 W, 40 Hz - 3.5 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet	€ 389,00
	 GZUX 165.2SQ	4037072022834	2-way SQ passive crossover 140 / 230 Watt RMS / max	€ 99,00
	 GZUX 165.3SQ	4037072022841	3-way SQ passive crossover 160 / 250 Watt	€ 129,00









GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
URANIUM	 GZUW 8SQ-D2	4037072023169	20 cm / 8" SQ Subwoofer, 300 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Reinforced paper cone, audiophile POLYCOT spider Fs 56.9 Hz, Qts 0.69, SPL 83 dB	€ 199,00
	 GZUW 10SQ-D2	4037072023176	25 cm / 10" SQ Subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 40.2 Hz, Qts 0.54, SPL 86 dB	€ 249,00
	 GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 10SQ and GZUW 10SQX subwoofer	€ 54,00
	 GZUW 12SQ-D2	4037072023183	30 cm / 12" SQ Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider FS 39.8 Hz, Qts 0.67, SPL 87.2 dB	€ 299,00
	 GZUB 8BR	4037072023138	Loaded BR subwoofer enclosure 20 cm / 8" subwoofer (GZUW 8SQ-D2) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 279,00
	 GZUB 10BR	4037072023145	Loaded BR subwoofer enclosure 25 cm / 10" subwoofer (GZUW 10SQ-D2) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 349,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
HYDROGEN		GZHA MINI ONE	4037072016116	1 Channel Class D Monoamp Output power 4/2/1 Ohm 220 / 390 / 630 WRMS	€ 279,00
		GZHA MINI ONE-K	4037072019735	1 Channel Class D Monoamp Output power 4/2/1 Ohm 320 / 550 / 900 WRMS incl. bass remote control	€ 349,00
		GZHA MINI ONE-K 24V	4037072021424	1 Channel 24V Class D Monoamp Output power 4/2/1 Ohm 320 / 550 / 900 WRMS incl. bass remote control	€ 379,00
		GZHA MINI TWO	4037072016123	2 Channel Class D amplifier 2 x 130WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	€ 279,00
		GZHA MINI FOUR	4037072016130	4 Channel Class D amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	€ 329,00
		GZHA MINI FOUR 24V	4037072021448	4 Channel 24V Class D amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	€ 349,00
		GZHA MINI FIVE	4037072020182	5 Channel Class D amplifier 4 x 75 / 125 W RMS @ 4 / 2 ohm and 1x 190 / 320 / 500 WRMS @ 4 / 2 / 1 ohm	€ 399,00
		GZHA MINI FIVE-DSP	4037072025118	5-channel full-range DSP amplifier 4 x 75 / 125 W RMS @ 4 / 2 ohm and 1x 190 / 320 / 500 WRMS @ 4 / 2 / 1 ohm	€ 499,00













GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
HYDROGEN	 GZUP 10	4037072000818	25 cm / 10" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 25X / GZUW 10X	€ 99,00
	 GZUP 12	4037072000825	30 cm / 12" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 30X / GZUW 12X	€ 119,00
	 GZHC 165.2	4037072023718	16.5 cm / 6.5" 2 way compo system 4 ohm, 130 W / 220 W, 40 Hz - 24KHz Kickwoofer: Non-pressed paper cone, rubber surround , silver color aluminum cast basket Tweeter: 25 mm / 1" coated silk dome tweeter (GZHT 25S) 2-way passive crossover, GZ design grill	€ 399,00
	 GZHK 165	4037072023732	16.5 cm / 6.5" midwoofer 4 ohm, 120 W / 180 W, 40 Hz - 5 KHz Non-pressed paper cone, rubber surround , silver color aluminum cast basket GZ design grill One pair per package	€ 289,00
	 GZHM 80	4037072025453	8 cm / 4" midrange speaker 4 ohm, 50 W / 80 W, 170 Hz - 5 KHz Non-pressed paper cone, rubber surround , silver color aluminum cast basket GZ design grill One pair per package	€ 229,00
	 GZHT 25S	4037072023770	25 mm / 1" coated silk dome tweeter 4 ohm, 70 / 110 W, 2200 Hz - 24 KHz GZ design grill	€ 99,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
HYDROGEN		GZHW 16SPL	4037072019476	17 cm / 6.7" Subwoofer, 1000 W SPL 2x 1 ohm Fs 51.5 Hz / Qts 0.46 / SPL 80.7 dB Yellow color aluminum cast basket	€ 219,00
		GZHW 20XSPL-D1	4037072021295	20 cm / 8" Subwoofer, 1500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 38.9 Hz, Qts 0.55	€ 249,00
		GZHW 20XSPL-D2	4037072021301	20 cm / 8" Subwoofer, 1500 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 42.4 Hz, Qts 0.63	€ 249,00
		GZHW 25XSPL-D1	4037072021325	25 cm / 10" Subwoofer, 2500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 40.3 Hz, Qts 0.52	€ 349,00
		GZHW 25XSPL-D2	4037072021332	25 cm / 10" Subwoofer, 2500 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 40.1 Hz, Qts 0.58 Yellow color aluminum cast basket	€ 349,00
		GZHW 30XSPL-D1	4037072020649	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 39.1 Hz, Qts 0.56 Yellow color aluminum cast basket	€ 429,00
		GZHW 30XSPL-D2	4037072020748	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 42.4 Hz, Qts 0.60 Yellow color aluminum cast basket	€ 429,00
		GZHW 38XSPL-D1	4037072021356	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 43.4 Hz, Qts 0.77 Yellow color aluminum cast basket	€ 529,00
		GZHW 38XSPL-D2	4037072021363	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 39 Hz, Qts 0.65 Yellow color aluminum cast basket	€ 529,00
		GZHW 8SPL-D2 FLAT	4037072025316	25 cm / 8" Flat Subwoofer, 800 W SPL 2 x 2 ohm, 50 mm / 2" copper voice coil, Sandwich paper cone, high-roll surround Fs 31.5 Hz, Qts 0.41 Yellow color aluminum cast basket	€ 249,00
		GZHW 10SPL-D2 FLAT	4037072023824	25 cm / 10" Flat Subwoofer, 1000 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Sandwich paper cone, high-roll surround Fs 35.5 Hz, Qts 0.43 Yellow color aluminum cast basket	€ 349,00
		GZHW 12SPL-D2 FLAT	4037072025323	30 cm / 12" Flat Subwoofer, 1200 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Sandwich paper cone, high-roll surround Fs 21 Hz, Qts 0.30 Yellow color aluminum cast basket	€ 429,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
RADIOACTIVE	 GZRA 2HD	4037072023060	2 Channel Class D amplifier 2 x 300WRMS @ 4 ohm 2 x 500WRMS @ 2 ohm	€ 299,00
	 GZRA 4HD	4037072023022	4 Channel Class D amplifier 4 x 170WRMS @ 4 ohm 4 x 250WRMS @ 2 ohm	€ 399,00
	 GZRC 165.2SQ	4037072020397	16,5 cm / 6.5" SQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) SQ passive crossovers	€ 279,00
	 GZRC 165.3SQ	4037072020434	16,5 cm / 6.5" SQ 3 way compo system 3 ohm, 170 / 270 W, 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Midrange: 80 mm / 3.15" black anodized aluminum cone, rubber surround (GZRM 80SQ) Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) SQ passive crossovers	€ 449,00
	 GZRC 165.3SQ-ACT	4037072020458	16,5 cm / 6.5" SQ 3 active way compo system 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Midrange: 80 mm / 3.15" black anodized aluminum cone, rubber surround (GZRM 80SQ) Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ)	€ 349,00
	 GZRC 165.2SQ-IV	4037072021493	16,5 cm / 6.5" SQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Nomex spider Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) Installer friendly tweeter crossover	€ 229,00






GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
RADIOACTIVE		GZRT 25SQ	4037072020335	25 mm / 1" coated silk dome tweeter 4 ohm, 70 / 100 W, 3 - 25 KHz	€ 109,00
		GZRM 80SQ	4037072020359	80 mm / 3.15" SQ midrange speaker 4 ohm, 50 / 80 W, 160 Hz - 4 KHz Mounting depth 34 mm / 1.34" Black anodized aluminum cone, rubber surround	€ 179,00
		GZRK 165SQ	4037072020373	16,5 cm / 6.5" HQ kick- / midwoofer 3 ohm, 110 / 160 W, 35 Hz - 4 KHz High efficient voice coil Black anodized aluminum cone, Rubber surround, Nomex spider Copper cap for impedance linearizing	€ 119,00
		GZRF 4.0SQ	4037072022049	10 cm / 4" HQ 2 way coax speaker 3 ohm, 70 / 110 W, 70 Hz - 24 KHz High efficient voice coil Black anodized aluminum voice coil, rubber surround, Nomex spider 25 mm / 1.1" silk dome tweeter with overload protection	€ 89,00
		GZRF 5.2SQ	4037072022056	13 cm / 5.25" HQ 2 way coax speaker 3 ohm, 80 / 120 W, 60 Hz - 24 KHz High efficient voice coil Black anodized aluminum voice coil, rubber surround, Nomex spider 25 mm / 1.1" silk dome tweeter with overload protection	€ 99,00
		GZRF 6.5SQ	4037072022063	16,5 cm / 6,5" HQ 2 way coax speaker 3 ohm, 100 / 140 W, 50 Hz - 24 KHz High efficient voice coil Black anodized aluminum voice coil, rubber surround, Nomex spider 25 mm / 1.1" silk dome tweeter with overload protection	€ 119,00
		GZRF 69SQ	4037072022070	15 x 23 cm / 6" x 9" HQ 3 way coax speaker 3 ohm, 130 / 200 W, 40 Hz - 25 KHz High efficient voice coil Black anodized aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection 50 mm / 2" PEI midrange with overload protection	€ 179,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product		EAN Barcode	Description	RRP EUR
RADIOACTIVE		GZRW 25-D2	4037072022513	25 cm / 10" subwoofer, 600 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider High-roll surround, push terminals Fs 26.3 Hz, Qts 0.54, SPL 82 db	€ 199,00
		GZRW 30-D2	4037072018394	30 cm / 12" subwoofer, 800 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-roll sandwich surround, push terminals Fs 25.7 Hz, Qts 0.45, SPL 83 db	€ 249,00
		GZRW 38-D2	4037072021639	38 cm / 15" subwoofer, 1000 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-roll sandwich surround, push terminals Fs 27 Hz, Qts 0.51, SPL 87 db	€ 299,00
		GZRW 250-D2 FLAT	4037072025330	25 cm / 10" Flat- subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" voice coil, Paper sandwich cone Durable rubber surround, push terminals Fs 28 Hz, Qts 0.54, SPL 84 db	€ 149,00
		GZRW 300-D2 FLAT	4037072025347	30 cm / 12" Flat- subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" voice coil, Paper sandwich cone Durable rubber surround, push terminals Fs 23.5 Hz, Qts 0.44, SPL 85 db	€ 179,00


GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
RADIOACTIVE		GZRW 6XSPL	4037072021479	16.5 cm / 6.5" Subwoofer, 700 W SPL Power 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone Fs 49.5 Hz, Qts 0.576, SPL 79 db	€ 149,00
		GZRW 8XSPL	4037072021974	20 cm / 8" Subwoofer, 1000 W SPL Power 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone Fs 45.8 Hz, Qts 0.36, SPL 84.6 db	€ 179,00
		GZRW 10XSPL	4037072018318	25 cm / 10" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, double spider Fs 44.3 Hz, Qts 0.749, SPL 82 db	€ 209,00
		GZRW 12XSPL	4037072018325	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 31.8 Hz, Qts 0.684, SPL 83 db	€ 249,00
		GZRW 15XSPL	4037072019520	38 cm / 15" subwoofer, 1800 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 34.1 Hz, Qts 0.59, SPL 87.8 db	€ 279,00
		GZRB 16SPL	4037072021462	Loaded SPL subwoofer enclosure 16.5 cm / 6.5" SPL subwoofer (GZRW 6XSPL) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 199,00
		GZRB 20SPL	4037072021936	Loaded SPL subwoofer enclosure 20 cm / 8" SPL subwoofer (GZRW 8XSPL) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 269,00
		GZRB 25SPL	4037072023305	Loaded SPL subwoofer enclosure 25 cm / 10" SPL subwoofer Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 349,00
		GZRB 30SPL	4037072020915	Loaded SPL subwoofer enclosure 30 cm / 12" SPL subwoofer Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 449,00










GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
TITANIUM		GZTA 2255X-B	4037072013580	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 250WRMS @ 2 ohm	€ 249,00
		GZTA 4125X-B	4037072013603	4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	€ 269,00
		GZTA 4230X-B	4037072020946	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 230WRMS @ 2 ohm	€ 389,00
		X-GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	€ 27,50
		GZTC 130.2X	4037072022537	13 cm / 5.25" 2 way compo system 3 ohm / 80/130 Watt RMS/max. Frequency range 60 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 20 mm / 0.79" silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct.in-line low pass filter / hexagon grill	€ 139,00
		GZTC 165.2X	4037072021691	16,5 cm / 6.5" 2 way compo system 3 ohm / 100/150 Watt RMS/max. Frequency range 50 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 19 mm / 0.75" Silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct. low pass filter / Hexagon protection grill	€ 179,00
		GZTC 165.3X-II	4037072023985	16,5 cm / 6.5" 2-way component speaker system High efficient 3 ohm version 120 W RMS / 180 Watt max. Frequency range 50 Hz - 22 KHz 165 mm kickwoofer with 3D HQPP cone / phase plug 100 mm / 4" midrange with 3D HQPP cone / phase plug 20 mm / 0.79" silk dome tweeter 12 dB/oct. crossover (mid/high) / 6 dB/oct. crossover (kickwoofer) / Hexagon protection grill	€ 349,00
		GZTC 165.3X-ACT	4037072022414	16,5 cm / 6.5" 2-way component speaker system High efficient 3 ohm version 120 W RMS / 180 Watt max Frequency range 50 Hz - 22 KHz 165 mm kickwoofer with 3D HQPP cone / phase plug 100 mm / 4" midrange with 3D HQPP cone / phase plug 19 mm / 0.75" silk dome tweeter 12 dB/oct. crossover (mid/high) / 6 dB/oct. crossover (kickwoofer) / Hexagon protection grill	€ 239,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
TITANIUM		GZTT 20S	4037072021714	20 mm / 0.79" silk dome tweeter 4 ohm, 40 / 70 W, 3 - 20 KHz incl. Surface mount housing One pair per package	€ 49,00
		GZTM 100NEO	4037072021516	100 mm / 4" midrange with 3D HQPP cone / phase plug High efficient 3 ohm version Frequency range 250 Hz - 7 KHz 40 W RMS / 60 Watt max Hexagon protection grill One pair per package	€ 119,00
		GZTK 165	4037072022223	16,5 cm / 6.5" kickwoofer 3 ohm / 80/100 Watt RMS/max. Frequency range 50 Hz - 4 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket Hexagon protection grill One pair per package	€ 79,00
		GZTF 4.0X	4037072021745	10 cm / 4" 2-way coax speaker Efficient 3 ohm voice coil Power input 70 Watt RMS / 100 Watt max Frequency range 70 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	€ 64,00
		GZTF 5.2X	4037072021752	13 cm / 5.25" 2-way coax speaker Efficient 3 ohm voice coil Power input 80 Watt RMS / 110 Watt max Frequency range 60 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	€ 74,00
		GZTF 6.5X	4037072021769	16,5 cm / 6.5" 2-way coax speaker Efficient 3 ohm voice coil Power input 90 Watt RMS / 130 Watt max Frequency range 50 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	€ 89,00
		GZTF 69X	4037072021776	6x9" 3 way coaxial system 3 ohm / 130/190 Watt RMS/max. Frequency range 40 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 13 mm / 0.51" Mylar tweeter / 55 mm / 2.17" Mylar midrange GZ design grill	€ 129,00
		GZTW 10F Improved Q Version	4037072018271	25 cm / 10" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals Qts 0.56	€ 149,00
		GZTW 12F	4037072018288	30 cm / 12" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals	€ 179,00













GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
IRIDIUM		GZIA 2.85	4037072022872	2 Channel Class AB amplifier 2 x 60WRMS @ 4 ohm 2 x 85WRMS @ 2 ohm	€ 129,00
		GZIA 2.135	4037072022889	2 Channel Class AB amplifier 2 x 85WRMS @ 4 ohm 2 x 135WRMS @ 2 ohm	€ 159,00
		GZIA 2.240	4037072022896	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 240WRMS @ 2 ohm	€ 199,00
		GZIA 4.120	4037072022902	4 Channel Class AB amplifier 4 x 70WRMS @ 4 ohm 4 x 120WRMS @ 2 ohm	€ 219,00
		GZIA 1.700	4037072022919	1 Channel Class AB Monoamp Output power 4/2/1 Ohm 230 / 400 / 630 WRMS	€ 239,00
		GZIA 1.1150D	4037072022926	1 Channel Class D Monoamp Output power 4/2/1 Ohm 370 / 665 / 1050 WRMS	€ 329,00
		GZIA 1.1500D	4037072022933	1 Channel Class D Monoamp Output power 4/2/1 Ohm 425 / 775 / 1300 WRMS	€ 359,00
		GZIA 1.2000D	4037072024074	1 Channel Class D Monoamp Output power 4/2/1 Ohm 750 / 1300 / 1800 WRMS	€ 429,00
		X-GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	€ 27,50








GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
IRIDIUM		GZIC 130.2	4037072023411	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 19 mm / 0.75" Mylar tweeter Compact inline crossovers for easy install Hexagon style protection grill	€ 99,00
		GZIC 165.2	4037072023428	16,5 cm / 6.5" 2 way compo system 4 ohm, 100 / 150 W, 50 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 19 mm / 0.75" Mylar tweeter Compact inline crossovers for easy install Hexagon style protection grill	€ 109,00
		GZIC 165.2SPL	4037072024111	16,5 cm / 6.5" 2 way SPL compo system 3 ohm, 120 / 200 W, 50 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 25 mm / 1" Mylar tweeter Compact inline crossovers for easy install Hexagon style protection grill	€ 169,00
		GZIK 165SPL	4037072024098	16,5 cm / 6.5" midwoofer 3 ohm, 120 W SPL, 50 Hz - 4000 Hz 3D-HQPP cone, resonance free GZ steel basket Hexagon style protection grill	€ 99,00
		GZIF 4.0	4037072023336	10 cm / 4" 2 way coax speaker 4 ohm, 60 / 100 W, 80 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 13 mm / 0.51 Mylar tweeter Hexagon style protection grill	€ 49,00
		GZIF 5.2	4037072023343	13 cm / 5.25" 2 way coax speaker 4 ohm, 70 / 110 W, 60 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 13 mm / 0.51 Mylar tweeter Hexagon style protection grill	€ 59,00
		GZIF 6.5	4037072023350	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 50 Hz - 20 KHz 3D-HQPP cone, resonance free GZ steel basket 13 mm / 0.51 Mylar tweeter Hexagon style protection grill	€ 69,00
		GZIF 69	4037072023367	15 x 23 cm / 6" x 9" 3 way coax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51" Mylar tweeter with overload protection 50 mm / 2" Mylar midrange loudspeaker Hexagon style protection grill	€ 99,00
		GZIF 4001FX	4037072014143	10 cm / 4" flat 2 way coax speaker extra flat only 30 mm / 1.18" 4 ohm, 50 / 90 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 69,00
		GZIF 5201FX	4037072014150	13 cm / 5.25" flat 2 way coax speaker extra flat only 37 mm / 1.46" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 79,00
		GZIF 6501FX	4037072014167	16,5 cm / 6.5" flat 2 way coax speaker extra flat only 44 mm / 1.73" 4 ohm 70 / 110 W, 60 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 99,00
		GZIC 400FX	4037072014174	10 cm / 4" flat 2 way compo system extra flat only 30 mm / 1.18" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	€ 139,00
		GZIC 650FX	4037072014181	16,5 cm / 6.5" flat 2 way compo system extra flat only 44 mm / 1.73" 4 ohm, 100 / 140 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	€ 179,00











GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
IRIDIUM	 GZIW 10XSPL-D2	4037072023657	25 cm / 10" subwoofer, 700 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone with honeycomb structure, High-roll sandwich surround, Progressive 2-layer spider Fs 36.2 Hz, Qts 0.61 SPL, 84 dB Yellow color steel basket	€ 179,00
	 GZIW 12XSPL-D2	4037072023664	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone with honeycomb structure, High-roll sandwich surround, Progressive 2-layer spider Fs 32.5 Hz, Qts 0.73 SPL, 86 dB Yellow color steel basket	€ 199,00
	 GZIW 12XSPL-D2 PINK EDITION	4037072023671	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone with honeycomb structure, High-roll sandwich surround, Progressive 2-layer spider Fs 32.5 Hz, Qts 0.73 SPL, 86 dB Pink color steel basket	€ 199,00
	 GZIW 165	4037072023572	16.5 cm / 6.5" subwoofer, 100 WRMS 4 ohm, 38 mm / 1.5" round wire copper voice coil, 3D-HQPP cone, high-roll rubber surround, push terminals Fs 41 Hz, Qts 0.41, SPL 85.5 dB	€ 74,00
	 GZIW 200	4037072023589	20 cm / 8" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" copper voice coil, 3D-HQPP cone, high-roll rubber surround, push terminals Fs 32 Hz, Qts 0.44, SPL 87 dB	€ 89,00
	 GZIW 250	4037072023596	25 cm / 10" subwoofer, 250 WRMS 4 ohm, 50 mm / 2" copper voice coil, 3D-HQPP cone, POLYCOT spider, rubber surround Fs 27 Hz, Qts 0.44, SPL 87 dB	€ 129,00
	 GZIW 300	4037072023602	30 cm / 12" subwoofer, 350 WRMS 4 ohm, 50 mm / 2" copper voice coil, 3D-HQPP cone, POLYCOT spider, rubber surround Fs 30 Hz, Qts 0.58, SPL 88 dB	€ 149,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
IRIDIUM	 GZIB 20BR	4037072023862	Front bass tunnel box - 20 cm / 8" subwoofer 150 WRMS, 4 Ohm Front bass tunnel enclosure with 17 liter / 0.6 cu.ft	€ 149,00
	 GZIB 20BR-ACT	4037072023879	Active front bass tunnel box - 20 cm / 8" Build in high power amp 100 WRMS / 200 WMAX High-level input with auto-on	€ 299,00
	 GZIB 25BR	4037072023886	Front bass tunnel box - 25 cm / 10" subwoofer 250 WRMS, 4 Ohm Front bass tunnel enclosure with 26 liter / 0.92 cu.ft	€ 189,00
	 GZIB 25BR-ACT	4037072023893	Active front bass tunnel box - 25 cm / 10" Build in high power amp 130 WRMS / 250 WMAX High-level input with auto-on "	€ 339,00
	 GZIB 30BR	4037072023909	Front basst unnel box - 30 cm / 12" subwoofer 350 WRMS, 4 Ohm Front bass tunnel enclosure with 37 liter / 1.31 cu.ft	€ 199,00
	 GZIB 30BR-ACT	4037072023916	Active front bass tunnel box - 30 cm / 12" Build in high power amp 150 WRMS / 300 WMAX High-level input with auto-on	€ 349,00
	 GZIB 2.30BR	4037072023923	Front bass tunnel box - 2x 30 cm / 12" woofer 700 WRMS, 2 x 2 Ohm Front bass tunnel enclosure with 70 liter / 2.47 cu.ft	€ 399,00
	 GZIB 12SPL	4037072023930	Front bass tunnel SPL box incl. GZIW 12XSPL-D2 1000 W SPL Power, 2x2 ohm Front bass tunnel enclosure with 45 liter / 1.589 cu.ft	€ 299,00
	 GZIB 2.12SPL	4037072023947	Front bass tunnel SPL box incl. 2 x GZIW 12XSPL-D2 2 x 30 cm / 2 x 12", 2000 W SPL Power, 4x2 ohm Front bass tunnel enclosure with 82 liter 2.895 cu.ft	€ 549,00
	 GZ BASS KIT 12.300X-II	4037072024005	Bass Kit incl. GZBA 1.300X amp 40 l front aero-port enclosure with 30 cm / 12" subwoofer, 3D-HQPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter	€ 249,00
	 GZ BASS KIT 12.300X-II incl. Cable	4037072024203	Bass Kit incl. GZBA 1.300X amp & GZPK 10XLC-II 40 l front aero-port enclosure with 30 cm / 12" subwoofer, 3D-HQPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter Including 10 mm² / 8 AWG wiring kit	€ 279,00






GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
COMPETITION	 GZCA 500.Q1	4037072025057	4 – Channel competition SPL amplifier 4x 450 W RMS / 575 W max @ 1 Ω	€ 599,00
	 GZCA 1500.M1	4037072024012	Mono competition SPL amplifier 1x 1350 W RMS / 1900 W max @ 1 Ω	€ 349,00
	 GZCA 1500.M2	4037072025033	Mono competition SPL amplifier 1x 1350 W RMS / 1900 W max @ 2 Ω	€ 349,00
	 GZCA 3000.M1	4037072024036	Mono competition SPL amplifier 1x 2900 W RMS / 4000 W max @ 1 Ω	€ 499,00
	 GZCA 3000.M2	4037072025040	Mono competition SPL amplifier 1x 2900 W RMS / 4000 W max @ 2 Ω	€ 499,00
	 GZCA 6000.M1	4037072025064	Mono competition SPL amplifier 1x 5000 W RMS / 6200 W max @ 1 Ω	€ 799,00
	 GZCA 8500.M1	not fixed yet	Mono competition SPL amplifier 1x 8100 W RMS / 8500 W max @ 1 Ω	tba

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
COMPETITION PRO		GZCF 165NEO-PRO	4037072024050	High-power 2-way SPL coaxial speaker 25 mm / 1" compression tweeter 150 + 50 W RMS / 300 + 100 W max Freq. response 150 – 20 kHz Neodymium magnet	€ 299,00
		GZCF 200NEO-PRO	4037072025019	High-power 2-way SPL coaxial speaker 25 mm / 1" compression tweeter 250 + 50 W RMS / 400 + 100 W max Freq. response 130 Hz – 20 kHz Neodymium magnet	€ 349,00
		GZCM 6.5N-PROX	4037072024975	High end 165 mm / 6.5" midrange 200 W RMS / 400 W max 180 – 12000 Hz / SPL 96 dB Neodymium magnet	€ 239,00
		GZCM 8.0N-PROX	4037072024999	High end 200 mm / 8" midrange 300 W RMS / 500 W max 120 – 7000 Hz / SPL 98 dB Neodymium magnet	€ 299,00
		GZCT 19N-PROX B	4037072019186	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, light weight polyester dome, neodymium magnet - black price per piece	€ 159,00



GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
COMPETITION	 GZCT 25SQL	4037072017458	25 mm / 1" competition horn SQ tweeter 4 ohm, 100 / 150 W, SPL 93 dB, 3 - 22 KHz 25 mm / 1" Kapton voice coil Coated silk dome, aluminum cast waveguide, shielded neodymium magnet, ferrofluid cooling, aluminum heat sink price per piece	€ 59,00
	 GZCC 165.2SQL	4037072020663	16,5 cm / 6.5" 2-way component speaker system 160 / 300 Watt RMS/max. Frequency range 50 Hz - 22 kHz Midwoofer: GZCK 165SPL Tweeter: GZCT 25SQL 12 dB/oct. crossover (with double woofer option)	€ 359,00
	 GZCC 200.2SQL	4037072020687	20 cm / 8" 2-way component speaker system 200 / 380 Watt RMS/max. Frequency range 50 Hz - 22 KHz Midwoofer: GZCK 200SPL Tweeter: GZCT 25SQL 12 dB/oct. crossover (with double woofer option)	€ 399,00
	 GZCX 165/200.2SQL	4037072020625	High-power SQL competition crossover Slope 12/12 dB/oct. Double woofer/tweeter option One pair per package	€ 99,00
	 GZCK 165XSPL	4037072020502	16,5 cm / 6.5" competition kick- / midwoofer Impedance 4 ohms, 100 / 250 Watts SPL 93 dB, 50 Hz - 4 kHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High excursion foam W-surround Including protection grill Price per piece	€ 79,00
	 GZCK 200XSPL	4037072020526	20 cm / 8.0" competition kick- / midwoofer Impedance 4 ohms, 150 / 300 Watts SPL 93 dB, 50 Hz - 6 kHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High excursion foam W-surround Including protection grill Price per piece	€ 109,00
	 GZCK 250XSPL	4037072020540	25 cm / 10.0" competition kick- / midwoofer Impedance 4 ohms, 200 / 400 Watts SPL 93 dB, 40 Hz - 6 kHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone Rubber surround Price per piece	€ 169,00
	 GZCK 250XSPL-GRILL	4037072020601	25 cm / 10.0" hexagon style speaker grill Fits GZCK 250XSPL Price per piece	€ 19,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
COMPETITION		GZCF 6.5SPL-NEO	4037072025415	High-power 2-way SPL coaxial speaker with flat neodymium motor and 28 mm / 1.1" tweeter 100 W RMS / 250 W max Freq. response 50 Hz – 20 kHz Reduced installation depth	€ 499,00
		GZCF 6.5SPL	4037072022476	16,5 cm / 6.5" 2-way coaxial speaker 100 / 250 Watt RMS/max. Frequency range 50 Hz - 20 kHz	€ 189,00
		GZCF 8.0SPL	4037072023046	20 cm / 8" 2-way coaxial speaker 150 / 300 Watt RMS/max. Frequency range 40 Hz - 20 kHz	€ 219,00
		GZCF 69SPL	4037072023756	6x9" 2-way coaxial speaker 150 / 300 Watt RMS/max. Frequency range 50 Hz - 20 kHz	€ 219,00
		GZCF 7104XSPL	4037072015577	180 x 250 cm / 7" x 10" 4 way coax speaker 4 ohm, 200 / 300 W, SPL 93 dB, 35 Hz - 25 KHz Fiber reinforced water repellent paper cone Ferofluid-cooled paper cone midrange and PEI tweeter with 6 dB crossover and overload protection 15 x 23 cm / 6" x 9" mounting adapter included price per pair	€ 179,00
		GZCM 6.5NEO-DC	4037072022490	165 mm / 6.5" competition midrange Impedance 3 ohms, 120 / 320 Watts SPL 98 dB, 240 Hz - 12 kHz 38 mm / 1.5" CCAW voice coil Neodymium motor / paper dust cap Lightweight reinforced paper cone / W-foam surround Hexagon protection grill Price per piece	€ 149,00
		GZCM 8.0NEO-DC	4037072022735	200 mm / 8.0" competition midrange Impedance 3 ohms, 180 / 420 Watts SPL 100 dB, 160 Hz - 7 kHz 38 mm / 1.5" CCAW voice coil Neodymium motor / paper dust cap Lightweight reinforced paper cone / W-foam surround Hexagon protection grill Price per piece"	€ 209,00
		GZCM 6.5SPL	4037072020120	16,5 cm / 6.5" competition midrange 4 ohm impedance 100 / 300 W RMS/max., SPL 94 dB, 250 Hz - 10 KHz 38 mm / 1.5" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	€ 79,00
		GZCM 8.0SPL	4037072020137	20 cm / 8" competition midrange 4 ohm impedance 150 / 400 W RMS/max., SPL 95 dB, 170 Hz - 10 KHz 38 mm / 1.5" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	€ 99,00
		GZCM 10.0SPL	4037072020144	25 cm / 10" competition midrange 4 ohm impedance 200 / 500 W RMS/max., SPL 96 dB, 150 Hz - 10 KHz 50 mm / 2" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	€ 129,00
		GZCW 12-75SPL	4037072012644	30 cm / 12" competition woofer 4 ohm, 400 / 800 W, SPL 96 dB, 40 Hz - 3 KHz 2-layer 75 mm / 3" copper round wire voice coil Fiber reinforced paper cone, high roll w-surround, steel basket price per piece	€ 219,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
COMPETITION		GZCT 25M-SPL	4037072024180	High-quality dome tweeter Installation-friendly dimensions 70 W RMS / 100 W max Incl. 12 dB/oct. in-line high pass filter	€ 69,00
		GZCT 28M-SPL	4037072025392	High-quality dome tweeter Installation-friendly dimensions 80 W RMS / 110 W max Incl. 12 dB/oct. in-line high pass filter	€ 79,00
		GZCT 0500X	4037072012163	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, plastic bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 79,00
		GZCT 500IV-B	4037072019957	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, Black anodized aluminum cast baffle, plastic bullet Install version with outer thread Including optional highpass filter (3,3µF capacitor) price per piece	€ 79,00
		GZCT 3500X-B	4037072012200	98 mm / 3.86" High power compression tweeter (black) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 25,00
		GZCT 3500X-S	4037072012217	98 mm / 3.86" High Power compression tweeter (silver) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 25,00
		GZCT 3000X	4037072018608	102 x 102 mm / 4.02 x 4.02" High power compression tweeter 4 ohm, 40 / 120 W, SPL 105 dB, 4 - 25 KHz 38 mm / 1,8" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 89,00
		GZCT 4000X	4037072012224	160 x 120 mm / 6.3" x 4.7" High power compression tweeter 4 ohm, 50 / 140 W, SPL 103 dB, 2,5 - 20 KHz 44,5 mm / 1.75" copper-clad aluminium round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 69,00
		GZCT 5000SPL	4037072012675	200 x 150 mm / 8" x 5.9" High power compression tweeter (yellow) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical traxtrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 109,00
		GZCT 5000SPL-B	4037072014129	200 x 150 mm / 8" x 5.9" High power compression tweeter (black) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical traxtrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 109,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product		EAN Barcode	Description	RRP EUR
MARINE		GZRM 165X	4037072016413	16,5 cm / 6.5" Marine 2 way coax speaker 4 ohm, 70 / 120 W, 60 Hz - 25 KHz Water repellent and salt water resistant Perfect for use at outer decks of yachts or in humid areas White IMPP cone 13 mm / 0.51" PEI tweeter	€ 99,00
PROTECT		GZ PROTECT	4037072017045	High power speaker protection circuit - 1 piece Protects speakers against clipping and electrical overload Screw terminal Including 3 different protection-soffits (5W, 10W, 20W) Power handling 150 W MAX, min. 2 Ohm impedance load	€ 29,00
DSP / CAR SPECIFIC		GZHA MINI FIVE-DSP	4037072025118	5-channel full-range DSP amplifier 4 x 75 / 125 W RMS @ 4 / 2 ohm and 1x 190 / 320 / 500 WRMS @ 4 / 2 / 1 ohm	€ 499,00
		GZDSP REM 4-8XII-S	4037072022209	Wired remote control for GZDSP 4-8X / XII incl. subwoofer level control and 500 cm connection wire, Main level, Subwoofer level, Preset selection, Mute function	€ 99,00
		GZDSP BTS 4-8XII	4037072021820	Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	€ 119,00
		GZDSP 4.80A-PRO	4037072020229	4-Channel amplifier with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier 6-channel line input (RCA) and high-level input (with auto-on function) 4-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) Optical and coaxial digital input (sampling rate up to 24-bit/192 kHz) AUX input (3.5 mm socket) Integrated DSP (GZDSP 6-8X PRO) 4x 80 / 130 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote PRO)	€ 499,00
		GZCS DSPA-4.60ISO	4037072024166	Compact 4-channel amplifier with built-in DSP 8-channel digital signal processor 4x 45/60 W RMS @ 4 / 2 Ω ISO-harness for plug 'n' play installation	€ 499,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
DSP		GZDSP REM 4-8XII-S	4037072022209	Wired remote control for GZDSP 4-8X / XII incl. subwoofer level control and 500 cm connection wire, Main level, Subwoofer level, Preset selection, Mute function	€ 99,00
		GZDSP BTS 4-8XII	4037072021820	Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	€ 119,00
		GZDSP REMOTE PRO X	4037072020274	Remote control for GZDSP 6-8X PRO Master volume control Sub-out volume control Input mode selection (incl. coaxial digital input) Preset selection	€ 65,00
		GZDSP BT-BOX	4037072018035	Wireless music streaming interface Including connection cable Compatible with GZDSP 6-8X, 6-8X PRO and 4.80A-PRO	€ 79,00
		GZCS HLC-2.6	4037072020267	Adapter for car specific harness to be used with GZDSP PRO units compatible with GZCS 4.0BMW-Connect GZCS MB-Connect	€ 9,50
		GZCS HLC-1.12	4037072019971	Adapter for car specific harness to be used with GZDSP units (not for PRO units) compatible with GZCS 4.0 BMW-Connect GZCS MB-Connect	€ 9,50
		GZDSP 4-8XII	4037072021615	Digital Signal Processor 4 input / 8 output channels High and low level input, Auto-on function for high and low level input BT-USB connector input (for optional USB dongle GZDSP BT-Stick) 8x 10-band parametric equalizer (+/- 12 dB / Q; 0.4 ~ 28 / 20 Hz - 20 kHz) Time delay correction 0 ~ 8 ms / 0 ~ 277 cm, Adjustable Butterworth / Linkwitz-Riley / Bessel filter HPF / LPF / BPF (slope 6 ~ 24 dB/oct), High and low shelving function Phase shift each channel 0 / 180°, Remote control included, English & Chinese software / GUI	€ 349,00
		GZDSP REM 4-8XII-S	4037072022209	Wired remote control for GZDSP 4-8X / XII incl. subwoofer level control and 500 cm connection wire, Main level, Subwoofer level, Preset selection, Mute function	€ 99,00
		GZDSP BTS 4-8XII	4037072021820	Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	€ 119,00

GROUND ZERO®










GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
	 GZDSP 6-10PRO	not fixed yet	High-quality 6 to 10 channel DSP 6x RCA input / 6x high-level input 31-band equalizer for each channel	tba
	 GZCS A-4.80	4037072022698	4 Channel Class D MICRO amplifier 4 x 60WRMS @ 4 ohm 4 x 80WRMS @ 2 ohm High-level input with auto-on function Dimensions (w x h x l heatsink/overall) 82 x 40 x 151/171 mm / 3.32 x 1.57 x 5.94/6.73"	€ 269,00
	 GZCS A-1.650D	4037072023084	1 Channel Class D Monoamp Output power 4/2/1 Ohm 250 / 450 / 650 WRMS High-level input with auto-on function	€ 249,00
	 GZCS ISO-CONNECT	4037072024135	ISO harness for GZCS A-4.80	€ 49,00
	 GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	€ 109,00
	 GZCS MB-CONNECT	4037072020304	Car specific wiring harness for Mercedes-Benz	€ 129,00
	 X-GZTA Bassremote	4037072008388	Bass remote for GZIA / GZTA/GZHA/GZNA amps	€ 27,50
	 GZCS 100.2MB	4037072024722	MB-specific 2-way component loudspeaker system 70 W RMS / 110 W max Suitable for front and rear doors	€ 329,00
	 GZCS F-4.0MB	4037072024746	Car specific 2-way coaxial speaker 60 W RMS / 100 W max Suitable for front and rear doors Including mounting adapters	€ 279,00
	 GZCS 100MB-S	4037072024760	MB-specific wide-band surround speakers 40 W RMS / 60 W max Freq. response 150 Hz – 14 kHz 1 pair	€ 119,00
	 GZCS 100MB-C	4037072024777	MB-specific wide-band center speaker 40 W RMS / 60 W max Freq. response 150 Hz – 14 kHz Double voice coil / 2x 4 Ω 1 piece	€ 79,00
	 GZCS MB-CONNECT	4037072020304	Car specific wiring harness for Mercedes-Benz	€ 129,00

CAR SPECIFIC



GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
CAR SPECIFIC	 GZCS W-200MB.RH-L	4037072021554	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For RHD vehicles only / passenger's side	€ 299,00
	 GZCS W-200MB.RH-R	4037072021561	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For RHD vehicles only / driver's side	€ 299,00
	 GZCS W-200MB.LH-L	4037072022674	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For LHD vehicles only / driver's side	€ 279,00
	 GZCS W-200MB.LH-R	4037072022650	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For LHD vehicles only / passenger's side	€ 279,00
	 GZCS 100.2BMW	4037072024739	BMW-specific 2-way component loudspeaker system 70 W RMS / 110 W max Including mounting adapters	€ 329,00
	 GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cable harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	€ 109,00
	 GZCS BMW-CENTER	4037072024753	BMW-specific 2-way coaxial center speaker 60 W RMS / 100 W max Freq. response 70 Hz – 22 kHz 1 Piece	€ 149,00
	 GZCS F-4.0BMW	4037072025507	Car specific 2-way coaxial loudspeaker 60 W RMS / 100 W max Freq. response 70 Hz – 22 kHz Including mounting adapters	€ 279,00
	 GZCS 200BMW-SW	4037072016390	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer with neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB, impedance 2 Ohm	€ 349,00
	 GZCS 200BMW-SW4	4037072020489	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer Double neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB Impedance 4 ohms	€ 429,00










GROUND ZERO®



GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
CAR SPECIFIC	 GZCS 200.2VW-T5/T6	4037072023497	20 cm / 8" car specific 2-way compo system for VW T5/T6 Power handling 80 W RMS / 140 W MAX Frequency range 40 Hz - 20 KHz, SPL 89 dB 4 Ohm midwoofer with carbon-fiber cone & rubber surround 28 mm / 1.1" soft dome tweeter Incl. in-line crossovers	€ 329,00
	 GZCS T-25S	4037072025163	Universal 25 mm / 1" silk dome tweeter 50 W RMS / 80 W max Freq. response 4 – 20 kHz	€ 119,00
	 GZCS T-25VW	4037072025156	Car specific 25 mm / 1" silk dome tweeter 50 W RMS / 80 W max Freq. response 4 – 20 kHz Incl. VW specific connectors	€ 99,00
	 GZCS K-165VW	4037072025132	Car specific 165 mm / 6.5" midwoofer 70 W RMS / 100 W max Freq. response 50 Hz – 5 kHz Incl. VW specific connectors and mounting adapter	€ 119,00
	 GZCS K-200VW	4037072025149	Car specific 200 mm / 8" midwoofer 80 W RMS / 110 W max. Freq. response 40 Hz – 4.5 Hz Incl. VW specific connectors	€ 149,00
	 GZCS 46CX	4037072017540	10 x 15 cm / 4" x 6" car specific 2-way coax speaker 4 ohm, 70 / 110 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older VW, Porsche, Audi, ...	€ 69,00
	 GZCS 8.7CX	4037072017533	8,7 cm / 3.5" car specific 2-way coax speaker 4 ohm, 50 / 90 W, 100 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter	€ 49,00
	 GZCS 12CX	4037072017557	12 cm / 4.65" car specific 2-way coax speaker 4 ohm, 60 / 100 W, 75 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older Mercedes Benz models	€ 64,00
	 GZCS 10SUB	4037072016604	25 cm passive spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone Power handling 300 Watt 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	€ 219,00
	 GZCS 10SUB-ACT	4037072016611	25 cm active spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone 150 WRMS / 300 WMAX amplifier 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	€ 319,00
	 X-GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps and ACT models	€ 27,50
	 GZCS SW-800A	4037072024227	Flat active subwoofer Solid GZ-design aluminum cast housing 20 cm / 8" driver 120 W RMS / 180 W max Including wired remote control	€ 249,00
	 GZCS SW-1000A	4037072024241	Flat active subwoofer Solid GZ-design aluminum cast housing 25 cm / 10" driver 150 W RMS / 210 W max Including wired remote control	€ 299,00
	 GZCS Y-BOX	4037072024265	Remote extension box to control two under-seat subwoofers simultaneously	€ 27,50

GROUND ZERO®









GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
DAMPING		GZDM DOORKIT PRO	4037072021653	Essential damping set for 2 doors Box includes 8 sheets (50 x 37.5 cm) GZDM 3750AB-SILVER 4 sheets (50 x 37.5 cm) GZDF 1500SA 2 sheets (50 x 37.5 cm) GZDF 400SI 2 sheets (50 x 37.5 cm) GZDS 1200AL-GOLD 4 boxes = 1 master carton	€ 99,00
		GZDF 1500SA-PRO	4037072022551	High efficient viscous-elastic damping material Water repellent surface Self-adhesive formed sound absorbing polyurethane foam 8 sheets, each 50 x 37.5 cm = 1.5 m ² / 16.15 ft ² 4 boxes = 1 master carton	€ 109,00
		GZDF 400SI	4037072017489	High density waterproof damping material Self-adhesive noise damping and insulating polyethylene foam 20 sheets, each 50 x 37.5 cm = 3.75 m ² / 40.36 ft ² 5 boxes = 1 master carton	€ 89,00
		GZDM 3750AB-GOLD	4037072015423	Alubutyl dampingmat 2.2 mm / 0.087" 10 sheets, each 75 x 50 cm = 40.36 ft ²	€ 119,00
		GZDM 3750AB-SILVER	4037072015430	Alubutyl dampingmat 1.7 mm / 0.067" 10 sheets, each 75 x 50 cm = 40.36 ft ²	€ 109,00
		GZDM 1900ML-GOLD	4037072015416	Multilayer damping mat 4.2 mm / 0.165" New bitumen product developed under aeronautic aspects. Very flexible multi-layered damping material with a layer of polymer based on butyl rubber in combination with bitumen mastic and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	€ 139,00
		GZDA 1200AL-GOLD	4037072019759	Massive aluminum foil to cut individually and to seal openings inside the doors for acoustical reasons and to avoid the intrusion of moisture into the vehicle's compartment. Self-adhesive, temperature and water resistant, not flammable. Material thickness 300 µm / 0.12" 6 sheets, each 50 x 37.5 cm	€ 65,00
		GZDM 1900MC-GOLD	4037072015447	Multi component damping mat 7 mm / 0.28" Bitumen saturated damping material based on viscous elastic polyurethane foam for soundproofing in combination with a layer of polymer based butyl rubber and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	€ 99,00
		GZDM 250AL-BassBoost	4037072019773	Multi component damping mat 15 mm / 0.59" Self-adhesive multilayer, non-flammable damping material with a specifically molded aluminum surface reducing the reflection of sound waves and pressure when installed directly on the backside of a dynamical speaker 2 sheets, each 25 x 18.3 cm	€ 24,00

Line	Product	EAN Barcode	Description	RRP EUR	
ACCESSORIES - WIRING / ADAPTER		GZCS MB-CONNECT	4037072020304	Car specific wiring harness for Mercedes-Benz	€ 129,00
		GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	€ 109,00
		GZCS ISO QUADLOCK I	4037072014266	ISO-QUADLOCK Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. until 2013	€ 49,00
		GZCS ISO QUADLOCK II	4037072015768	ISO-QUADLOCK II Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. from 2013 on	€ 54,00
		GZCS Y-BOX	4037072024265	Remote extension box to control two under-seat subwoofers simultaneously	€ 27,50
		GZDSP BTS 4-8XII	4037072021820	Wireless music streaming and app connectivity stick for use with GZDSP 4-8XII	€ 119,00
		GZCV 2.0HL	4037072011326	High-low level converter 1:1 converter	€ 59,00
		GZTH 25-28B	4037072021677	High quality surface-mounted housing - 1 pair Plastic injection housing with black rubber-touch surface finish Suitable for: GZRT 25SQ GZUT 28SQ	€ 19,00














GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
ACCESSORIES - CABLES		GZCC 0.5X-TP	4037072024845	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 0.5 m / 1.64 ft	€ 19,00
		GZCC 1.0X-TP	4037072024852	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 1.0 m / 3.28 ft	€ 24,00
		GZCC 3.0X-TP	4037072024869	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 3.0 m / 9.84 ft	€ 29,00
		GZCC 5.5X-TP	4037072024876	Triple shielded, twisted RCA cable Gold plated brass RCA connectors / Black & yellow coloured nylon braided hose 5.5 m / 18.05 ft	€ 39,00
		GZCC 1.3X	4037072018059	1 m / 3.3 ft RCA cable Triple shielded signal wire with isolated RCA connectors	€ 5,50
		GZCC 5.3X	4037072008944	5 m / 16.4 ft RCA cable Triple shielded signal wire with isolated RCA connectors (as included in GZPK10X/20X)	€ 12,50
		GZCC 5.1XLC	4037072008951	5 m / 16.4 ft RCA cable Single shielded signal wire with isolated RCA connectors (as included in GZPK 10XLC)	€ 8,00
		GZCY 30X	4037072008937	Y adapter 1 female in - 2 male out	€ 3,50

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
ACCESSORIES - CABLES / KITS	 GZPK 10XLC-II	4037072021196	10 mm ² cable kit 5.2 m / 17 ft power cable yellow 0.8 m / 2 ft power cable black 5 m / 16 ft RCA cable single shield 1.5 m / 4.9 ft speaker cable 60 A AGU fuseholder, various accessories	€ 39,90
	 GZPK 50X-II	4037072021271	50 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 200 A ANL Fuseholder, div. accessories	€ 109,00
	 GZPK 35X-II	4037072021257	35 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 150 A ANL Fuseholder, div. Accessories	€ 79,00
	 GZPK 20X-II	4037072021233	20 mm ² Cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 80 A MANL Fuseholder, div. Accessories	€ 54,00
	 GZPK 10X-II	4037072021219	10 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 60 A MANL Fuseholder, div. accessories	€ 45,00
	 GZSC 1.5X2 OFC	4037072018141	2 x 1.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3+3mm / 0.118"+0.118"	€ 164,00
	 GZSC 2.5X2 OFC	4037072018158	2 x 2.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3,8+3,8mm / 0.165"+0.165"	€ 274,00
	 GZSC 4.0X2 OFC	4037072018165	2 x 4.00 mm ² speaker cable OFC - pure copper 75m / 246ft on wooden spool black & yellow; OD 4,5+4,5mm / 0.197"+0.197"	€ 329,00
	 GZSC 10X2 OFC	4037072018189	2 x 10.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6,8+6,8mm / 0.298"+0.298"	€ 549,00
	 GZSC 2-0.75X	4037072021110	0.75 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	€ 99,00
	 GZSC 2-1.50X	4037072021134	1.50 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	€ 169,00
	 GZSC 2-2.50X	4037072021158	2.50 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	€ 279,00
	 GZSC 2-4.00X	4037072021172	4.00 mm ² speaker cable spool 100m spool / 328ft black & yellow isolation	€ 209,00









GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
ACCESSORIES - CAPACITOR / CABLES		GZTC 1.0FX	4037072008166	1.0 Farad power capacitor 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	€ 99,00
		GZPC 10B	4037072009279	Black 10 mm² power cable spool 50m / 164ft 0.5039400in spool Negative 10 mm², 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	€ 119,00
		GZPC 10Y	4037072021035	Yellow 10 mm² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm², 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	€ 119,00
		GZPC 20B	4037072009293	Black 20 mm² power cable spool 50m / 164ft 0.5039400in spool Negative 20 mm²; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	€ 229,00
		GZPC 20Y	4037072021059	Yellow 10 mm² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm², 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	€ 229,00
		GZPC 35B	4037072009316	Black 35 mm² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm²; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	€ 239,00
		GZPC 35Y	4037072021073	Red 35 mm² power cable spool 30m / 98ft 5.102364in spool Positive 35 mm²; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	€ 239,00
		GZPC 50B	4037072009330	Black 35 mm² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm²; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	€ 229,00
		GZPC 50Y	4037072021097	Yellow 50 mm² power cable spool 20m / 65ft 7.401576in spool Positive 50 mm²; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	€ 229,00











GROUND ZERO®












GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
ACCESSORIES - OTHER		GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 10SQ and GZUW 10SQX subwoofer	€ 54,00
		GZ ULTRA 165-GRILL	4037072025231	165 mm hexagon stlye NRG speaker grill Fits to GZ ULTRA / GZPK / GZNK / GZUK / GZHK 1 pair	€ 249,00
		GZMG 165 / 6.5	4037072004182	Design grill for GZNW 6.5 and all further 16.5cm speakers	€ 99,00
		GZMG 38/15	4037072004168	New wave design metal bracket for subwoofer boxes suitable for 38 cm / 15" subwoofers	€ 29,00
		GZST 2S	4037072020007	2-pin flush mounting speaker terminal Chromed push terminals	€ 8,00
		GZST 2B	4037072020014	2-pin flush mounting speaker terminal Chromed sush terminals for large cable diameter	€ 10,00
		GZST 4S	4037072021530	4-pin flush mounting speaker terminal Chromed push terminals with large diameter Including metal bridging stripes for parallel or serial connection	€ 16,50
		GZAP 70Y	4037072022124	Airflow optimized subwoofer enclosure ventilation tube with rounded tails on both sides Internal diameter 71 mm Overall length 381 mm	€ 19,50

GROUND ZERO®












GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
POWER ACCESSORIES		GZBT 2.50 MANL-POS	4037072010855	Battery terminal (+) with MANL fuse, Output 2 x 50 mm ² / 0 AWG Direct (2 x 50 mm ² / 0 AWG Fused with MANL)	€ 39,00
		GZBT 2.50 NEG	4037072010862	Battery terminal (-) Output 1 x 50 mm ² / 0 AWG	€ 35,00
		GZDB 3.50/4.20	4037072010879	Distribution block Input 3 x 50 mm ² / 0 AWG - Output 4 x 20 mm ² / 4 AWG	€ 39,00
		GZDB 4.50/8.20MANL	4037072025217	Distribution block and MANL fuse holder Input 4x 50 mm ² / 0 AWG - Output 8x 20 mm ² / 4 AWG	€ 69,00
		GZFH 1.20 IL-MANL	4037072011548	MANL in-line fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	€ 7,50
		GZFH 1.20/1.20 MANL	4037072010831	MANL fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	€ 19,00
		GZFH 1.50/1.50 ANL/MANL	4037072010817	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 1 x 50 mm ² / 0 AWG	€ 39,00
		GZFH 1.50/2.20 ANL/MANL	4037072010824	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 2 x 20 mm ² / 4 AWG	€ 39,00
		GZFH 3.50/4.20 ANL/MANL	4037072010848	ANL / MANL fuse holder Input 3 x 50 mm ² / 4 AWG - Output 4 x 20 mm ² / 4 AWG	€ 79,00
		GZWR 50-20	4037072025484	Wire reducer For reducing 50 mm ² / 0 AWG into 20 mm ² / 4 AWG	tba

Line	Product	EAN Barcode	Description	RRP EUR
POWER ACCESSORIES		GZFU 40A/2 MANL	4037072011562 Mini ANL fuse 40 A 2 Pcs in blister	€ 5,00
		GZFU 60A/2 MANL	4037072011579 Mini ANL fuse 60 A 2 Pcs in blister	€ 5,00
		GZFU 80A/2 MANL	4037072011241 Mini ANL fuse 80 A 2 Pcs in blister	€ 5,00
		GZFU 100A/2 MANL	4037072011258 Mini ANL fuse 100 A 2 Pcs in blister	€ 5,00
		GZFU 150A/2 MANL	4037072011265 Mini ANL fuse 150 A 2 Pcs in blister	€ 5,00
		GZFU 200A/2 MANL	4037072011272 Mini ANL fuse 200 A 2 Pcs in blister	€ 5,00
		GZFU 100A/1 ANL	4037072011289 ANL fuse 100 A 1 Pc in blister	€ 6,00
		GZFU 150A/1 ANL	4037072011296 ANL fuse 150 A 1 Pc in blister	€ 6,00
		GZFU 200A/1 ANL	4037072011302 ANL fuse 200 A 1 Pc in blister	€ 6,00
		GZFU 300A/1 ANL	4037072011319 ANL fuse 300 A 1 Pc in blister	€ 6,00
		GZFU 400A/1 ANL - SPL	4037072011586 ANL fuse 400 A 1 Pc in blister	€ 6,00



GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
POWER ACCESSORIES	 10 Pcs.	GZFU 40A/10 MANL	4037072011722 Mini ANL fuse 40 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 60A/10 MANL	4037072011739 Mini ANL fuse 60 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 80A/10 MANL	4037072011746 Mini ANL fuse 80 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 100A/10 MANL	4037072011753 Mini ANL fuse 100 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 150A/10 MANL	4037072011760 Mini ANL fuse 150 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 200A/10 MANL	4037072011777 Mini ANL fuse 200 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 100A/10 ANL	4037072011784 ANL fuse 100 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 150A/10 ANL	4037072011791 ANL fuse 150 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 200A/10 ANL	4037072011807 ANL fuse 200 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 300A/10 ANL	4037072011814 ANL fuse 300 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 400A/10ANL	4037072011821 ANL fuse 400 A 10 Pcs in poly bag	€ 27,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
HEADPHONES	 GZHP 10-IE	4037072018011	Powerful stereo in-ear headphone / headset function 98 db, 32 ohm, 20 Hz - 20 KHz High quality 10 mm / 0.4" neodymium speaker Microphone control button (phone call pick up & hang up / track skip / play / pause) Cable length 1.2 m / 3.9 ft	€ 29,50
	 GZHP 40-OE	4037072013528	Foldable on-ear headphone 100 db, 32 ohm, 20 Hz - 20 KHz High quality 40 mm / 1.57" Neodymium speaker, Microphone Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	€ 59,00

With the publication of this price list all previous price lists are invalid.
 Errors, misprints and price changes reserved.
 All mentioned prices are euro prices.

-confidential-

Any unauthorized copying, disclosure or distribution of the material in this e-mail is strictly forbidden and may be liable to prosecution!

Ground Zero GmbH - Erlenweg 25 - 85658 Egmating - GERMANY

Phone : +49 8095 873 83 0 - Fax : +49 8095 873 83 10

Web : www.ground-zero-audio.com - Email : info@ground-zero-audio.com

Trade register: Amtsgericht München HRB 128584 - VAT ID Number: 172284786